

Markscheme

May 2025

Chemistry

Higher level

Paper 1B

© International Baccalaureate Organization 2025

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2025

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2025

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Subject Details: Chemistry Higher Level Paper 1B Markscheme

Candidates are required to answer **ALL** questions. Maximum total = **[35 marks]**.

1. Each row in the “Question” column relates to the smallest subpart of the question.
2. The maximum mark for each question subpart is indicated in the “Total” column.
3. Each marking point in the “Answers” column is shown by means of a tick (✓) at the end of the marking point.
4. A question subpart may have more marking points than the total allows. This will be indicated by “**max**” written after the mark in the “Total” column. The related rubric, if necessary, will be outlined in the “Notes” column.
5. An alternative word is indicated in the “Answers” column by a slash (/). Either word can be accepted.
6. An alternative answer is indicated in the “Answers” column by “**OR**”. Either answer can be accepted.
7. An alternative markscheme is indicated in the “Answers” column under heading **ALTERNATIVE 1** etc. Either alternative can be accepted.
8. Words inside chevrons « » in the “Answers” column are not necessary to gain the mark.
9. Words that are underlined are essential for the mark.
10. The order of marking points does not have to be as in the “Answers” column, unless stated otherwise in the “Notes” column.
11. If the candidate’s answer has the same “meaning” or can be clearly interpreted as being of equivalent significance, detail and validity as that in the “Answers” column then award the mark. Where this point is considered to be particularly relevant in a question it is emphasized by **OWTTE** (or words to that effect) in the “Notes” column.
12. Remember that many candidates are writing in a second language. Effective communication is more important than grammatical accuracy.
13. Occasionally, a part of a question may require an answer that is required for subsequent marking points. If an error is made in the first marking point then it should be penalized. However, if the incorrect answer is used correctly in subsequent marking points then **follow through** marks should be awarded. When marking, indicate this by adding **ECF** (error carried forward) on the script.
14. Do not penalize candidates for errors in units or significant figures, unless it is specifically referred to in the “Notes” column.
15. If a question specifically asks for the name of a substance, do not award a mark for a correct formula unless directed otherwise in the “Notes” column. Similarly, if the formula is specifically asked for, do not award a mark for a correct name unless directed otherwise in the “Notes” column.
16. If a question asks for an equation for a reaction, a balanced symbol equation is usually expected, do not award a mark for a word equation or an unbalanced equation unless directed otherwise in the “Notes” column.

Ignore missing or incorrect state symbols in an equation unless directed otherwise in the “Notes” column.

Question			Answers	Notes	Total								
1.	(a)	(i)	<p>Any two of:</p> <table border="1"> <thead> <tr> <th>Precaution</th> <th>Reason</th> </tr> </thead> <tbody> <tr> <td>1. safety glasses/goggles OR «face» mask/shield</td> <td>«prevent damage from» corrosive acid/gas OR prevent contact with eyes ✓</td> </tr> <tr> <td>2. fume cupboard/fume hood</td> <td>«prevent poisoning by» toxic gases OR prevent inhalation of harmful fumes ✓</td> </tr> <tr> <td>3. gloves/tongs</td> <td>prevent burns «from heat/acid» OR prevent contact with skin ✓</td> </tr> </tbody> </table>	Precaution	Reason	1. safety glasses/goggles OR «face» mask/shield	«prevent damage from» corrosive acid/gas OR prevent contact with eyes ✓	2. fume cupboard/fume hood	«prevent poisoning by» toxic gases OR prevent inhalation of harmful fumes ✓	3. gloves/tongs	prevent burns «from heat/acid» OR prevent contact with skin ✓	<p>Accept protective eyewear for M1.</p> <p>Do not accept gas mask for M2.</p> <p>Do not accept well-ventilated room or outside for M2.</p> <p>Do not award marks for general safety procedures such as wearing a lab coat, or tying hair back, but do not penalize if applying list principle.</p> <p>Award [1 max] for any 2 correct precautions or 2 correct reasons, or 1 of each, even if placed on wrong lines.</p>	2 Max
Precaution	Reason												
1. safety glasses/goggles OR «face» mask/shield	«prevent damage from» corrosive acid/gas OR prevent contact with eyes ✓												
2. fume cupboard/fume hood	«prevent poisoning by» toxic gases OR prevent inhalation of harmful fumes ✓												
3. gloves/tongs	prevent burns «from heat/acid» OR prevent contact with skin ✓												
1.	(a)	(ii)	«1»Cu(s) + 4HNO ₃ (aq) → «1»Cu(NO ₃) ₂ (aq) + 2NO ₂ (g) + 2H ₂ O(l)✓	Accept any correct multiples or fractions.	1								
1.	(a)	(iii)	« (63.55 x 0.0100) ÷ 2» = 0.318«g»✓		1								
1.	(b)		<p>Measurement 1: temperature ✓ Expected result: increases «in the forward direction» ✓</p> <p>Measurement 2: pressure «at constant volume» ✓ Expected result: decreases «in the forward direction» ✓</p>	<p>Accept answers in either order.</p> <p>Accept other correct methods such as IR and UV spectroscopy.</p>	4								
1.	(c)	(i)	<p>water bath/hot plate/oven/incubator AND thermostatic/temperature controlled/thermometer ✓</p>	<p>Do not accept temperature-controlled environment/room.</p> <p>Accept set to «40°C» as implying temperature controlled.</p>	1								

Question			Answers	Notes	Total
1.	(c)	(ii)	equilibrium not reached ✓	<p>Accept insufficient time for temperature to reach 40°C.</p> <p>Accept absorbance/colour/[NO₂] still changing/not constant / reaction is still occurring.</p> <p>Do not award the mark if the answer implies it is a reaction going to completion such as stating “not fully occurred”.</p>	1
1.	(c)	(iii)	repeat/wait until reading/absorbance/colour is constant/stops changing ✓	<p>Do not accept waiting, unless there is reference to an observation becoming constant.</p>	1
1.	(d)		<p>$\ll(0.0100 \text{ mol dm}^{-3} - 0.00732 \text{ mol dm}^{-3})/2\gg = 0.00134 \text{ «mol dm}^{-3}\gg$ ✓</p> <p>$\ll 0.00134 \text{ mol dm}^{-3}/(0.00732 \text{ mol dm}^{-3})^2\gg = 25.0 \text{ «mol}^{-1} \text{ dm}^3\gg$ ✓</p>	<p>Award [2] for correct final answer.</p> <p>Award [1] for 50.0 «mol⁻¹ dm³».</p>	2

Question			Answers	Notes	Total
1.	(e)	(i)	allows for at least 3 «titration» results ✓ initial and final burette reading/volume «of NaOH» AND correct units ✓	<p><i>Table can have any orientation.</i></p> <p><i>Do not award M2 for just single volume of NaOH rather than two separate readings.</i></p> <p><i>Do not penalize uncertainties.</i></p> <p><i>Do not penalize additional header rows/columns.</i></p>	2
1.	(e)	(ii)	«(0.10/20.05)x100» = 0.50«%» ✓	Accept 0.5«%»	1

Question			Answers	Notes	Total
1.	(e)	(iii)	273.2 293.2 323.2 373.2 ✓		1
1.	(e)	(iv)	yes AND K decreases as T increases ✓		1
2.	(a)		<i>Any 3 of:</i> known mass of solid ✓ «fully» dissolve in distilled/deionized/pure water ✓ use volumetric flask ✓ make up to line ✓ mix/invert/shake «the final solution» ✓	<i>Marking points can be in any order.</i>	3 max
2.	(b)		«dilute solution to» make several/multiple concentrations ✓ measure the absorbance/transmittance «of these solutions» ✓ plot graph of absorbance/transmittance vs/against concentration «with a straight line of best fit» ✓	<i>Do not accept “colour” for absorbance/transmittance for M2.</i>	3

Question			Answers	Notes	Total
2.	(c)		measure the absorbance/transmittance «of the unknown» AND use graph to determine concentration ✓	Accept “Draw a line across from the absorbance/transmittance «on the y-axis» to the calibration curve and read off «intercept on» the concentration «axis». Accept use of the equation of the line. Do not accept “colour” instead of absorbance, unless applying ECF from 2(b).	1
3.	(a)	(i)	partially loses water of crystallisation/water from crystals ✓	Accept temperature was too low «to remove all of the water of crystallisation»	1
3.	(a)	(ii)	«re-»heat «and weigh» to constant mass ✓	Do not accept it turns completely blue.	1
3.	(a)	(iii)	ensure sample is fully cooled/at room temperature before weighing ✓	Accept use of a more precise balance. Accept ways of modifying drying technique that would ensure dehydration occurred more rapidly (removing lid, stirring, spreading out solid etc.)	1

Question			Answers	Notes	Total				
3.	(b)	(i)	<table border="1"> <thead> <tr> <th>Loss in mass (g)</th> <th>Amount of H₂O /mol</th> </tr> </thead> <tbody> <tr> <td>5.361</td> <td>0.298</td> </tr> </tbody> </table> <p style="text-align: right;">✓</p>	Loss in mass (g)	Amount of H ₂ O /mol	5.361	0.298	<i>Both must be to correct sig. fig.</i>	1
Loss in mass (g)	Amount of H ₂ O /mol								
5.361	0.298								
3.	(b)	(ii)	<p>line through or close to most of the points apart from points 3 and 7 ✓ passes through origin ✓</p>	<p><i>For M2 accept lines that go within half of the smallest division of the origin on either axis.</i></p> <p><i>Award [1 max] if line straight, but obviously not drawn with a ruler.</i></p>	2				

Question			Answers	Notes	Total
3.	(b)	(iii)	<p><i>Independent variable:</i> amount/moles CoCl_2 AND <i>Dependent variable:</i> amount/moles H_2O ✓</p>	<p>Accept mass of «crucible +» hydrated cobalt (II) chloride / mass before heating</p> <p>AND</p> <p>mass of «crucible +» anhydrous cobalt(II) chloride / mass after heating.</p>	1
3.	(b)	(iv)	<p>point 3 (0.029 / 0.131) circled ✓ <i>Reason for the anomaly:</i> amount of/moles CoCl_2 too high OR amount of/moles H_2O too low ✓ OR point 7 (0.063 / 0.490) circled ✓ <i>Reason for the anomaly:</i> amount of/moles CoCl_2 too low OR amount of/moles H_2O too high ✓</p>	<p><i>Award M1 even if both 3 and 7 circled, but if others are circled apply list principle.</i></p> <p><i>For point 3 accept not all of the water was removed.</i> <i>For point 7 accept some solid/CoCl_2 lost.</i></p> <p><i>Do not accept just lies far from the line of best fit.</i></p>	2
3.	(b)	(v)	«0.60/0.10 =» 6 ✓	Do not accept non-integer values.	1