© International Baccalaureate Organization 2025

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

© Organisation du Baccalauréat International 2025

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

© Organización del Bachillerato Internacional, 2025

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/.

Diploma Programme
Programme du diplôme
Programa del Diploma

Mathematics: analysis and approaches
Higher level
Paper 1

15 May 2025

Zone A afternoon | **Zone B** afternoon | **Zone C** afternoon

Candidate session number

2 hours

Instructions to candidates

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- You are not permitted access to any calculator for this paper.
- Section A: answer all questions. Answers must be written within the answer boxes provided.
- Section B: answer all questions in the answer booklet provided. Fill in your session number on the front of the answer booklet, and attach it to this examination paper and your cover sheet using the tag provided.
- Unless otherwise stated in the question, all numerical answers should be given exactly or correct to three significant figures.
- A clean copy of the **mathematics: analysis and approaches HL formula booklet** is required for this paper.
- The maximum mark for this examination paper is **[110 marks]**.

2225–7116

© International Baccalaureate Organization 2025

International Baccalaureate®
Baccalauréat International
Bachillerato Internacional

Please **do not** write on this page.

Answers written on this page
will not be marked.

Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

Section A

Answer **all** questions. Answers must be written within the answer boxes provided. Working may be continued below the lines, if necessary.

1. [Maximum mark: 5]

Let $\log_{10} 2 = p$ and $\log_{10} 3 = q$.

(a) Find an expression for $\log_{10} 24$ in terms of p and q. [3]

(b) Find an expression for $\log_3 8$ in terms of p and q. [2]

. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .
. . . . . .

2. [Maximum mark: 5]

The following diagram shows the graph of $y = f(x)$, for $-6 \leq x \leq 5$.



(a) Write down the value of $f(-3)$. [1]

(b) State the domain of f^{-1}, the inverse function of f. [1]

(c) Find the value of x that satisfies $f^{-1}(2x - 7) = -3$. [3]

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

3. [Maximum mark: 5]

Solve the equation $2\cos 2\theta - 5\cos\theta + 2 = 0$, where $\pi \leq \theta \leq 2\pi$.

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

4. [Maximum mark: 7]

Consider the curve $y = x^2 - x - 1$ and the line $y = mx - 3$, where $m \in \mathbb{R}$.

(a) Show that the curve and the line meet when $x^2 - (m+1)x + 2 = 0$. [2]

(b) Hence, find the values of m when the line is tangent to the curve. [5]

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

5. [Maximum mark: 6]

The random variables X and Y are normally distributed with $X \sim \mathrm{N}(7, a^2)$ and $Y \sim \mathrm{N}(19, a^2)$, where $a > 0$.

(a) Find b such that $\mathrm{P}(X > b) = \mathrm{P}(Y > 22)$. [2]

(b) Write down the approximate value of $\mathrm{P}(7 - a < X < 7 + a)$, correct to two significant figures. [1]

(c) Given that $a = 3$, calculate the approximate value of $\mathrm{P}(Y < 22)$, correct to two significant figures. [3]

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

6. [Maximum mark: 7]

Consider the function f. The graph of f has a local maximum at $\mathrm{A}\left(-1, -\frac{5}{2}\right)$, a local minimum at $\mathrm{B}\left(0, \frac{15}{2}\right)$, a vertical asymptote at $x = -\frac{1}{2}$ and an oblique asymptote $y = 5x + 5$.

This information and part of the graph of f is shown in the following diagram.



(This question continues on the following page)

(Question 6 continued)

(a) On the following grid, sketch the graph of $y = |f(x)|$, clearly indicating any asymptotes. [4]



(b) On the following grid, sketch the graph of $y = \frac{15}{f(x)}$, clearly indicating any asymptotes and intercepts with the axes. [3]



7. [Maximum mark: 6]

The curve $x^2 + y^4 = r^4$, where $0 \leq x \leq r^2$, is shown in the following diagram.



The region enclosed by the curve and the y-axis is rotated through 2π radians about the y-axis to form a solid of revolution.

Find an expression for the volume of the solid in the form $V = a\pi r^b$, where a, $b \in \mathbb{Q}^+$.

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

8. [Maximum mark: 8]

Consider the complex number $z_1 = \sqrt{3} - 3\mathrm{i}$.

(a) Express z_1 in the form $r\mathrm{e}^{\mathrm{i}\theta}$, where $r > 0$ and $-\pi < \theta \leq \pi$. [3]

Consider the complex number $z_2 = 2\sqrt{3}\mathrm{e}^{\mathrm{i}\frac{5\pi}{6}}$.

The cube roots of $\frac{z_2}{z_1}$ are denoted by u, v and w.

(b) Find u, v and w. [5]

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

9. [Maximum mark: 6]

Determine the value of $\lim_{x \to 0} \left(\frac{x \sin x}{1 - \cos x} \right)$.

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

. . . . . .

Do **not** write solutions on this page.

Section B

Answer **all** questions in the answer booklet provided. Please start each question on a new page.

10. [Maximum mark: 16]

Consider the sequence $\{u_n\}$, with nth term given by u_n. The first three terms are

$$u_1 = k - 5,\ u_2 = 3 - 2k \text{ and } u_3 = 5k + 3, \text{ where } k \in \mathbb{R}.$$

(a) Consider the case when $\{u_n\}$ is arithmetic.

(i) Find the value of k.

(ii) Hence, or otherwise, find u_3. [5]

(b) Consider the case where $k = 12$.

(i) Show that the first three terms of $\{u_n\}$ form a geometric sequence.

(ii) Given that $\{u_n\}$ is geometric, state a reason why the sum of an infinite number of terms of this sequence does not exist. [4]

(c) The sequence, $\{u_n\}$, is geometric for a second value of k.

(i) Show that $k^2 - 10k - 24 = 0$.

(ii) Find the first three terms of $\{u_n\}$ for this second value of k.

(iii) Hence, write down the value of S_{2m}, the sum of the first $2m$ terms, for this second value of k. [7]

Do **not** write solutions on this page.

11. [Maximum mark: 18]

The points $\mathrm{A}(1, -4, 0)$, $\mathrm{B}(-3, -6, 2)$, $\mathrm{C}(-1, -2, 4)$ and D form a parallelogram, ABCD, where D is diagonally opposite B.

(a) Find the coordinates of D. [2]

The diagonals of the parallelogram, $[\mathrm{AC}]$ and $[\mathrm{BD}]$, intersect at point E.

(b) Find the coordinates of E. [2]

(c) (i) Given that $\overrightarrow{\mathrm{AB}} \times \overrightarrow{\mathrm{AD}} = m\begin{pmatrix} -1 \\ 1 \\ -1 \end{pmatrix}$, where $m \in \mathbb{Z}^+$, find the value of m.

(ii) Hence, find the area of parallelogram ABCD. [4]

The plane, Π_1, contains the parallelogram ABCD.

(d) Find the Cartesian equation of Π_1. [2]

A second plane, Π_2, has Cartesian equation $5x + y - 7z = 1$.

The acute angle between Π_1 and Π_2 is θ.

(e) Show that $\cos\theta = \frac{1}{5}$. [3]

The line L passes through E and is perpendicular to Π_1.

The line L intersects the plane Π_2 at point F.

(f) Find the coordinates of F. [5]

Do **not** write solutions on this page.

12. [Maximum mark: 21]

Consider the complex number $z = x + y\mathrm{i}$, where $x, y \in \mathbb{R}$, such that $|z - (2 + \mathrm{i})| = 3$.

(a) Show that $x^2 + y^2 - 4x - 2y - 4 = 0$. [3]

The argument of $\frac{z+p}{z-1}$ is $\frac{\pi}{4}$, where $p \in \mathbb{R}$.

(b) Show that $x^2 + y^2 + (p-1)x + (p+1)y - p = 0$. [7]

Two roots of the equation $z^4 + az^3 + bz^2 + cz + d = 0$ are z_1 and z_2, where $z \in \mathbb{C}$ and $a, b, c, d \in \mathbb{R}$.

Both z_1 and z_2 satisfy the conditions $|z - (2 + \mathrm{i})| = 3$ and $\mathrm{Re}\left(\frac{z+4}{z-1}\right) = \mathrm{Im}\left(\frac{z+4}{z-1}\right)$.

(c) Use the results from parts (a) and (b) to find z_1 and z_2. [7]

(d) Find the value of a. [4]

Please **do not** write on this page.

Answers written on this page
will not be marked.