

© International Baccalaureate Organization 2025

All rights reserved. No part of this product may be reproduced in any form or by any electronic or mechanical means, including information storage and retrieval systems, without the prior written permission from the IB. Additionally, the license tied with this product prohibits use of any selected files or extracts from this product. Use by third parties, including but not limited to publishers, private teachers, tutoring or study services, preparatory schools, vendors operating curriculum mapping services or teacher resource digital platforms and app developers, whether fee-covered or not, is prohibited and is a criminal offense.

More information on how to request written permission in the form of a license can be obtained from <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organisation du Baccalauréat International 2025

Tous droits réservés. Aucune partie de ce produit ne peut être reproduite sous quelque forme ni par quelque moyen que ce soit, électronique ou mécanique, y compris des systèmes de stockage et de récupération d'informations, sans l'autorisation écrite préalable de l'IB. De plus, la licence associée à ce produit interdit toute utilisation de tout fichier ou extrait sélectionné dans ce produit. L'utilisation par des tiers, y compris, sans toutefois s'y limiter, des éditeurs, des professeurs particuliers, des services de tutorat ou d'aide aux études, des établissements de préparation à l'enseignement supérieur, des fournisseurs de services de planification des programmes d'études, des gestionnaires de plateformes pédagogiques en ligne, et des développeurs d'applications, moyennant paiement ou non, est interdite et constitue une infraction pénale.

Pour plus d'informations sur la procédure à suivre pour obtenir une autorisation écrite sous la forme d'une licence, rendez-vous à l'adresse <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

© Organización del Bachillerato Internacional, 2025

Todos los derechos reservados. No se podrá reproducir ninguna parte de este producto de ninguna forma ni por ningún medio electrónico o mecánico, incluidos los sistemas de almacenamiento y recuperación de información, sin la previa autorización por escrito del IB. Además, la licencia vinculada a este producto prohíbe el uso de todo archivo o fragmento seleccionado de este producto. El uso por parte de terceros —lo que incluye, a título enunciativo, editoriales, profesores particulares, servicios de apoyo académico o ayuda para el estudio, colegios preparatorios, desarrolladores de aplicaciones y entidades que presten servicios de planificación curricular u ofrezcan recursos para docentes mediante plataformas digitales—, ya sea incluido en tasas o no, está prohibido y constituye un delito.

En este enlace encontrará más información sobre cómo solicitar una autorización por escrito en forma de licencia: <https://ibo.org/become-an-ib-school/ib-publishing/licensing/applying-for-a-license/>.

Mathematics: analysis and approaches
Higher level
Paper 2

11 November 2025

Zone A morning | **Zone B** morning | **Zone C** morning

Candidate session number

2 hours

--	--	--	--	--	--	--	--	--	--

Instructions to candidates

- Write your session number in the boxes above.
- Do not open this examination paper until instructed to do so.
- A graphic display calculator is required for this paper.
- Section A: answer all questions. Answers must be written within the answer boxes provided.
- Section B: answer all questions in the answer booklet provided. Fill in your session number on the front of the answer booklet, and attach it to this examination paper and your cover sheet using the tag provided.
- Unless otherwise stated in the question, all numerical answers should be given exactly or correct to three significant figures.
- A clean copy of the **mathematics: analysis and approaches HL formula booklet** is required for this paper.
- The maximum mark for this examination paper is **[110 marks]**.



Full marks are not necessarily awarded for a correct answer with no working. Answers must be supported by working and/or explanations. Solutions found from a graphic display calculator should be supported by suitable working. For example, if graphs are used to find a solution, you should sketch these as part of your answer. Where an answer is incorrect, some marks may be given for a correct method, provided this is shown by written working. You are therefore advised to show all working.

Section A

Answer **all** questions. Answers must be written within the answer boxes provided. Working may be continued below the lines, if necessary.


1. [Maximum mark: 6]

The following diagram shows a regular pentagon inscribed in a circle with centre O and radius r cm.

The angle \widehat{AOB} is θ , where θ is measured in radians.

The arc AB is 12 cm.

diagram not to scale



(a) Find

(i) θ ;

(ii) r .

[3]

(b) Find the area of the shaded region.

[3]

(This question continues on the following page)



3. [Maximum mark: 7]

Data was collected on two variables, x and y , from eight members of a population. The data is shown in the table below.

x	3.8	6.3	2.5	2.4	8.9	10.7	6.7	10.3
y	11.8	9.7	6.1	4.1	p	23.3	13.7	24.5

(a) Find \bar{x} . [2]

The regression line of y on x for this data is $y = 0.014375 + 2.1625x$.

(b) Find

(i) \bar{y} ;

(ii) the value of p . [4]

(c) Hence, find Pearson's product-moment correlation coefficient, r . [1]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....



4. [Maximum mark: 7]

Consider the function $g(x) = a \cos(bx) - 3$, where $x \in \mathbb{R}$ and $a, b \in \mathbb{R}$.

The following diagram shows part of the graph of g .



The graph of g has a local minimum at $(0, -8)$ and a local maximum at $(16, 2)$.

(a) Find the value of

(i) a ;

(ii) b , where $b > 0$.

[3]

(b) Write down the smallest positive value of the constant k such that $g(x + k) = g(x)$ for all x .

[1]

(c) The function $g(x)$ can be written in the form $f(x) = p \sin b(x - q) - 3$ where $p, q \in \mathbb{Z}^+$.

(i) Find the smallest positive value of q .

(ii) For this value of q , write down the value of p .

[3]

(This question continues on the following page)



Please **do not** write on this page.

Answers written on this page
will not be marked.



7. [Maximum mark: 7]

Two machines are used in a factory to manufacture semiconductors. Machine A manufactures defective semiconductors 10% of the time, while machine B manufactures defective semiconductors 5% of the time.

A randomly selected machine manufactures ten semiconductors.

Both machines are equally likely to be selected.

(a) Find the probability that exactly two semiconductors are defective. [4]

(b) Given that exactly two semiconductors are defective, find the probability that they were manufactured by machine A. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....




8. [Maximum mark: 6]

The following diagram shows the graphs of two functions, f and g , where

$$f(x) = \sqrt{x^2 - 16} \text{ for } 4 \leq x \leq 5, \text{ and}$$

$$g(x) = 2 + \frac{x^2}{25} \text{ for } 0 \leq x \leq 5.$$



The graphs of f and g intersect at the point $(5, 3)$.

The region bounded by the graphs of f , g and both axes is rotated 360° about the y -axis to form a solid of revolution.

Find the volume of the solid formed.

(This question continues on the following page)



Do **not** write solutions on this page.


Section B

Answer **all** questions in the answer booklet provided. Please start each question on a new page.

10. [Maximum mark: 17]

An airplane lands on a runway 100 metres in front of a stationary car. At the instant the airplane lands, the car begins to travel in the same direction towards the airplane.

diagram not to scale



Let t represent the number of seconds after the airplane lands. For $t \geq 0$, the velocities of the airplane and the car in m s^{-1} , can be modelled by the following equations:

$$v_{air} = 60e^{-0.1t}$$

$$v_{car} = 5t$$

- (a) When the airplane lands, write down the speed of
- (i) the airplane;
 - (ii) the car. [2]
- (b) Find
- (i) the value of t when the airplane and the car have the same speed;
 - (ii) the speed at this time. [3]

Let $d(t)$ represent the distance, in metres, between the car and the back of the airplane after t seconds.

- (c) If $d(0) = 100$, find $d(t)$. [7]
- (d) Hence, find how long it takes for the car to reach the back of the airplane. [2]
- (e) Find the distance travelled by the car when it reaches the back of the airplane. [3]



Do **not** write solutions on this page.

11. [Maximum mark: 18]

(a) Use integration by parts to find $\int \arccos x \, dx$. [4]

The probability density function of a random variable X , is given by

$$f(x) = \begin{cases} 3x \arccos(x^2), & 0 \leq x \leq k; \\ 0, & \text{otherwise} \end{cases}.$$

(b) (i) Show that $k^2 \arccos(k^2) - \sqrt{1-k^4} + \frac{1}{3} = 0$.

(ii) Hence, find the value of k . Give your answer correct to six significant figures. [6]

(c) Find

(i) $E(X)$;

(ii) $\text{Var}(X)$. [5]

(d) Given that $\mu = E(X)$ and $\sigma^2 = \text{Var}(X)$, find $P(\mu - \sigma < X < \mu + \sigma)$. [3]



Do **not** write solutions on this page.

12. [Maximum mark: 21]

The equations of two lines, L_1 and L_2 , are given by:

$$L_1 : \mathbf{r}_1 = \begin{pmatrix} 5 \\ 4 \\ 2 \end{pmatrix} + s \begin{pmatrix} 1 \\ -1 \\ 1 \end{pmatrix} \text{ where } s \in \mathbb{R}$$

$$L_2 : \frac{x+1}{2} = y-7 = \frac{z+5}{3}$$

- (a) Show that the position vector of the point of intersection, L_1 and L_2 is $\begin{pmatrix} 1 \\ 8 \\ -2 \end{pmatrix}$. [3]

The plane Π contains the lines L_1 and L_2 .

- (b) (i) Write down the equation of Π , giving your answer in the form $\mathbf{r} = \mathbf{a} + \lambda\mathbf{b} + \mu\mathbf{c}$ where $\lambda, \mu \in \mathbb{R}$.

- (ii) Given that $\mathbf{b} \times \mathbf{c} = \begin{pmatrix} -4 \\ -1 \\ 3 \end{pmatrix}$, show that the Cartesian equation of Π is $4x + y - 3z = 18$. [3]

The plane intersects the coordinate axes at $P(4.5, 0, 0)$, $Q(0, q, 0)$, and $R(0, 0, r)$.

- (c) Write down the value of

(i) q ;

(ii) r . [2]

- (d) Use a vector method to find the area of the triangle PQR. [5]

Another line, L_3 , is normal to Π and passes through the point of intersection of L_1 and L_2 .

- (e) Write down an equation for L_3 in the form $\mathbf{r}_3 = \mathbf{m} + \gamma\mathbf{n}$. [2]

- (f) Given that the point $S(-11, 5, 7)$ lies on the line L_3 , find γ . [2]

- (g) Hence, find the volume of pyramid PQRS. [4]



Please **do not** write on this page.

Answers written on this page
will not be marked.



20EP18

Please **do not** write on this page.

Answers written on this page
will not be marked.



20EP19

Please **do not** write on this page.

Answers written on this page
will not be marked.



20EP20